VTO3 Series

New Villa Door Station

- VTO3311Q-WP/VTO3312Q-P



01 Product Parameters

VTO3311Q-WP / VTO3312Q-P

Camera

2MP HD camera

Unlock Mode

IC card

APP

Indoor monitor

Protection

IP65

IK08

Storage

Support Micro SD card (max. 256 GB)

IP & Wi-Fi / IP & 2-Wire

VTO3311Q-WP

Support Wi-Fi connection

VTO3312Q-P

Support 2-Wire solution

Power Supply

VTO3311Q-WP

Power adapter / Standard PoE

VTO3312Q-P

Power adapter / Standard PoE

By 2-Wire switch



02

Detachable Button Design

1 to 4 call button in a single product.



Single-family installations

Remove the front cover and replace the four buttons with one button.



Two-family installations

Remove the front cover and replace the four buttons with two button.



Four-family installations

Default 4-button.




03 Two models adapted to different solutions

VTO3311Q-WP

IP&Wi-Fi

Support Wi-Fi connection








VTO3312Q-P

IP&2-Wire


Support 2-Wire solution



04

Multiple Color Appearance

A variety of color accessories are available




VTM57 (Optional)



- **Components** : casing+ rain cover+ button cap + screw hole cover
- **Casing** : Aluminum alloy
- **Appearance color** : Dark blue

VTM58(Optional)

- **Components** : casing+ rain cover+ button cap + screw hole cover
- **Casing** : Aluminum alloy
- **Appearance color** : Red brown



06 Order Information

	Image	Model	Material code
Wi-Fi Villa Door Station		VTO3311Q-WP	Dahua:1.0.01.15.11938 Neutral:1.0.01.15.11939
2-wire Villa Door Station		VTO3312Q-P	Dahua:1.0.01.15.11941 Neutral:1.0.01.15.11942
Accessories (Optional)		VTM57	Dahua:1.1.03.15.10220 Neutral:1.1.03.15.10222
Accessories (Optional)		VTM58	Dahua:1.1.03.15.10221 Neutral:1.1.03.15.10223

07 Wide Applicability of Scenarios

Covering single villa, Townhouse, small apartment(4 households), etc.



Villa


Townhouse





Small Apartment

Office



Thank You